

- 1 SCREWS AND FASTENERS
- 2 FURNITURE EQUIPMENT
- 3 HINGES
- 4 SLIDES
- 5 CASTERS AND LEGS
- 6 KITCHEN SOLUTIONS
- 7 CLOSET SOLUTIONS
- 8 LIGHTING SOLUTIONS
- 9 SINKS AND FAUCETS
- 10 OFFICE
- 11 SLIDING DOORS
- 12 GLASS HARDWARE
- 13 PANELS AND SURFACES
- 14 EDGE-BANDING
- 15 CABINET DOORS AND DRAWERS
- 16 CORBELS AND FLOOR REGISTERS
- 17 GLUES, SILICONES, CAULK AND INSULATING
- 18 TOOLS AND SECURITY
- 19 FINISHING PRODUCTS AND SHOP SUPPLIES
- 20 COMMERCIAL DISPLAY HARDWARE
- 21 MOLDING, RAILING AND BATHROOM HARDWARE


3160EC ECLIPSE EASY-CLOSE UNDERMOUNT SLIDES

Engineered specifically for commercial grade applications that require an undermount slide with flawless movement and superior soft-close action.

- Provides the flexibility to construct drawers up to 60" (1524 mm) wide
- Easy to install and adjust
- Bottom-mounted installation
- Full extension with soft-close mechanism
- Minimized drawer sagging and migration produces a consistent, reliable experience time after time

Application: Ideal for retail fixtures, hospitals, medical facilities, institutional casework or high-End residential.

Accuride




PRODUCT	LOAD CAPACITY	SLIDE LENGTH	QTY/BOX
T3160EC2G14	100 lb (45 kg)	14" (356 mm)	1 pair
T3160EC2G15		15" (381 mm)	
T3160EC2G16		16" (406 mm)	
T3160EC2G18		18" (457 mm)	
T3160EC2G20		20" (508 mm)	
T3160EC2G21		21" (533 mm)	
T3160EC2G22		22" (559 mm)	

TIP-ON BLUMOTION KITS FOR TANDEMBOX

For pull-outs over cabinet base or cross member.

The TIP-ON BLUMOTION unit comes in different strengths, adapted to the load ranges and nominal lengths. Each variant has a different color so that it can be easily identified. The driving plate pin is used universally for all TIP-ON BLUMOTION units.

blum



PRODUCT	LOAD CAPACITY	SLIDE LENGTH	QTY/BOX
T60B303030	0 to 22 lb (0 to 10 kg)	10 5/8" (270 mm)	1
T60B3330105	0 to 44 lb (0 to 20kg)	13 3/4" to 25 5/8" (350 to 650 mm)	
T60B3130105	22 to 44 lb (10 to 20 kg)	10 5/8" (270 mm)	
T60B3530100	33 to 88 lb (15 to 40 kg)	13 3/4" to 25 5/8" (350 to 650 mm)	
T60B356090	77 to 143 lb (35 to 65 kg)	13 3/4" to 25 5/8" (350 to 650 mm)	


TIP-ON BLUMOTION TUBE FOR TANDEMBOX

For narrow internal cabinet widths.

- Can be cut to size
- Symmetrical, no synchronization linkage required, for internal width of 9 3/8" to 11 1/4" (238 to 286 mm)

Sold by unit

blum



PRODUCT	QTY/BOX
T60300D	80

TIP-ON BLUMOTION TANDEMBOX SLIDES

TIP-ON BLUMOTION for TANDEMBOX combines the advantages of the Tip-On mechanical opening support system with reliable BLUMOTION dampening for silent and effortless closing.

- Small front gap: Can be adjusted to have a small front gap of 2.5 mm
- Four-dimensional adjustment for a precise gap layout
- Pull or push to open - Opens with just a light touch, has a smooth running action, and closes silently and effortlessly
- Developed to optimize the feather-glide of TANDEMBOX and the smooth running action
- No additional cabinet and drawer assembly required - Can be used with standard cabinets and fronts.
- Easy tool-free assembly and adjustment

Application: Ideal for kitchen, living room or bathroom

Sold by pair



PRODUCT	LOAD CAPACITY	SLIDE LENGTH	QTY/BOX
5782701M	66 lb (30 kg)	10 5/8" (270 mm)	10 pairs
5783501M		13 3/4" (350 mm)	
5784001M		15 3/4" (400 mm)	
5784501M		17 3/4" (450 mm)	
5785001M		19 5/8" (500 mm)	
5785501M		21 5/8" (550 mm)	
5764501M	143 lb (65 kg)	17 3/4" (450 mm)	
5765001M		19 5/8" (500 mm)	
5765501M		21 5/8" (550 mm)	
5766001M		23 5/8" (600 mm)	
5766501M		25 5/8" (650 mm)	

LEGRABOX "S" FULL EXTENSION CONCEALED UNDERMOUNT SLIDE WITH BLUMOTION


One solution - three technologies!

A single slide for three motion technologies: SERVO-DRIVE, BLUMOTION and TIP-ON BLUMOTION.

BLUMOTION S integrated interface for a soft and silent close. The soft-close mechanism automatically adapts to the corresponding motion technology.

Concealed full extension with integrated BLUMOTION for silent and effortless closing action.

Sold by pair



PRODUCT	LOAD CAPACITY	SLIDE LENGTH	QTY/BOX
7502701S	88.2 lb (40 kg)	10 5/8" (270 mm)	6 pairs
7503501S		13 3/4" (350 mm)	
7504001S		15 3/4" (400 mm)	
7504501S		17 3/4" (450 mm)	
7505001S		19 5/8" (500 mm)	
7505501S		21 5/8" (550 mm)	
7506001S	154.3 lb (70 kg)	23 5/8" (600 mm)	
7534501S		17 3/4" (450 mm)	
7535001S		19 5/8" (500 mm)	
7535501S		21 5/8" (550 mm)	
7536001S		23 5/8" (600 mm)	
7536501S	25 5/8" (650 mm)		


- 1 SCREWS AND FASTENERS
- 2 FURNITURE EQUIPMENT
- 3 HINGES
- 4 SLIDES
- 5 CASTERS AND LEGS
- 6 KITCHEN SOLUTIONS
- 7 CLOSET SOLUTIONS
- 8 LIGHTING SOLUTIONS
- 9 SINKS AND FAUCETS
- 10 OFFICE
- 11 SLIDING DOORS
- 12 GLASS HARDWARE
- 13 PANELS AND SURFACES
- 14 EDGE-BANDING
- 15 CABINET DOORS AND DRAWERS
- 16 CORBELS AND FLOOR REGISTERS
- 17 GLUES, SILICONES, CAULK AND INSULATING
- 18 TOOLS AND SECURITY
- 19 FINISHING PRODUCTS AND SHOP SUPPLIES
- 20 COMMERCIAL DISPLAY HARDWARE
- 21 MOLDING, RAILING AND BATHROOM HARDWARE

BASE SUPPORT BRACKET FOR TANDEMBOX

For pull-outs over cabinet base or cross member.

- Required for cabinet widths $\geq 29\ 1/2"$ (750 mm)
- To support pull-out bases


PRODUCT	QTY/BOX
Z962011	250



FRONT GAP TEMPLATE FOR TIP-ON BLUMOTION FOR TANDEMBOX

2.5 mm front clearance verification and adjustment template.

PRODUCT	QTY/BOX
655627	20




SUPPORT FOR SYNCHRONIZATION LINKAGE FOR TANDEMBOX

For pull-outs over cabinet base or cross member.

- Required for cabinet widths $\geq 29\ 1/2"$ (750 mm)
- Prevents the synchronization linkage from sagging

PRODUCT	QTY/BOX
T60B000H	4



MOVENTO 760H FULL EXTENSION CONCEALED SLIDE FOR SLIDING SHELF

MOVENTO slide with BLUMOTION, for assembly to cabinet base panel/shelf.

- Concealed full extension with integrated BLUMOTION for silent and effortless closing action.
- Synchronized feather-light glide
- For assembly to cabinet base panel/shelf
- BLUMATIC self-closing feature
- Tool-free side, height, and tilt adjustment
- Optional tool-free depth adjustment
- Built-in width and depth tolerance compensation

PRODUCT	SLIDE LENGTH	QTY/BOX
760H5000BU	19 5/8" (500 mm)	4

Required product(s):

PRODUCT	DESCRIPTION
T51760102	Front locking device - Right
T51760103	Front locking device - Left
T51700001	MOVENTO/TANDEM fixing bracket for sliding shelf



STAINLESS STEEL LINEAR SLIDES

Perfect for small stroke applications in electronic equipment or point of purchase displays.

No lubrication required.

Sold by unit

PRODUCT	FINISH	LENGTH	LOAD CAPACITY	QTY/BOX
75200090	Stainless Steel	15 3/4" (400 mm)	39 lb (17.7 kg)	50
7520400180				100
7530400180			22 lb (9.5 kg)	50



STAINLESS STEEL FULL EXTENSION BALL BEARING DRAWER SLIDES

- Non-handed, slides can be used interchangeably either on the left or right side
- 304 stainless steel is corrosion and oxidation resistant, which makes it ideal for outdoor use
- Full extension provides free and easy access to the drawer

Important: Screws not included, load capacity is calculated for a pair of slides

PRODUCT	FINISH	LENGTH	LOAD CAPACITY	QTY/BOX
4513DC17016	Stainless Steel	16" (406 mm)	104 lb (47 kg)	10 pairs
4513DC17018		18" (457 mm)	101 lb (46 kg)	
4513DC17020		20" (508 mm)	97 lb (44 kg)	
4513DC17022		22" (559 mm)	95 lb (43 kg)	




OPTIMIZ-R SLIM DRAWER

Slender and minimalistic it runs on our high quality 828 synchronized runners. Perfectly suited for the cabinet industry.

- Slim and straight drawer side design for a maximum of space and elegant look
- 100 lbs (45 kg) weight capacity
- Compatible with our 828 full extension
- soft-closing synchronized slide
- Easy to assemble
- Integrated rear bracket (for a faster assembly)
- Multiple adjustments options: Integrated to the drawer side and with the front locking device (4 or 6 dimensional adjustments)
- Cycles tested
- Available in 3 drawer heights: 89, 121 and 185 mm
- Full range of accessories for inner drawers in all 3 available heights
- No need to groove the drawer bottom

REF.	DESCRIPTION
1	Series 828 slides
2	89 height drawer sides
3	121 height drawer sides
4	185 height drawer sides
5	Side cover cap
6	4-way locking devices
7	Front fixing-brackets (89 height)
8	Front fixing-brackets (121 height)
9	Front fixing-brackets (185 height)
10	Bottom fixing - front *
11	Bottom fixing - back *
12	Front panel connector (89 height)
13	Front panel connector (121 height)
14	Front panel connector (185 height)
15	Front rail (185 height)
16	Bottom fixing - inner *

(* Optional for wide drawers)



SERIES 828 SYNCHRONIZED AND UNDERMOUNT SLIDES

Synchronized full extension soft-close concealed undermount slide

PRODUCT	FINISH	LENGTH	LOAD CAPACITY	QTY/BOX
New! 828270	Zinc	10 5/8" (270 mm)	99 lb (45 kg)	10 pairs
828300		11 3/4" (300 mm)		
828350		13 3/4" (350 mm)		
828400		15 3/4" (400 mm)		
828450		17 3/4" (450 mm)		
828500		19 5/8" (500 mm)		
828550		21 5/8" (550 mm)		
828600		23 5/8" (600 mm)		

Required product(s):

PRODUCT	DESCRIPTION
8284103	Locking device with 4 adjustments for Series 828 and 825 - Left
8284102	Locking device with 4 adjustments for Series 828 and 825 - Right
8286103	Locking device with 6 adjustments for Series 828 and 825 - Left
8286102	Locking device with 6 adjustments for Series 828 and 825 - Right



- 1 SCREWS AND FASTENERS
- 2 FURNITURE EQUIPMENT
- 3 HINGES
- 4 SLIDES
- 5 CASTERS AND LEGS
- 6 KITCHEN SOLUTIONS
- 7 CLOSET SOLUTIONS
- 8 LIGHTING SOLUTIONS
- 9 SINKS AND FAUCETS
- 10 OFFICE
- 11 SLIDING DOORS
- 12 GLASS HARDWARE
- 13 PANELS AND SURFACES
- 14 EDGE-BANDING
- 15 CABINET DOORS AND DRAWERS
- 16 CORBELS AND FLOOR REGISTERS
- 17 GLUES, SILICONES, CAULK AND INSULATING
- 18 TOOLS AND SECURITY
- 19 FINISHING PRODUCTS AND SHOP SUPPLIES
- 20 COMMERCIAL DISPLAY HARDWARE
- 21 MOLDING, RAILING AND BATHROOM HARDWARE

RICHELIEU 808 DRAWER SIDES


Included:

- Double sided metal sides with pre-mounted rear brackets
- Plastic cover caps
- Doweled front brackets

Sold by pair



REF.	PRODUCT	FINISH	LENGTH	HEIGHT	QTY/BOX
A	8088927100	Gray	10 5/8" (270 mm)	3 1/2" (89 mm)	10
	808892730	White			
	8088930100	Gray	11 3/4" (300 mm)	3 1/2" (89 mm)	
	808893030	White			
	8088935100	Gray	13 3/4" (350 mm)	3 1/2" (89 mm)	
	808893530	White			
	8088940100	Gray	15 3/4" (400 mm)	3 1/2" (89 mm)	
	808894030	White			
	8088945100	Gray	17 3/4" (450 mm)	3 1/2" (89 mm)	
	808894530	White			
	8088950100	Gray	19 5/8" (500 mm)	3 1/2" (89 mm)	
	808895030	White			
	8088955100	Gray	21 5/8" (550 mm)	3 1/2" (89 mm)	
	808895530	White			
8088960100	Gray	23 5/8" (600 mm)	3 1/2" (89 mm)		
808896030	White				
B	80812127100	Gray	10 5/8" (270 mm)	4 3/4" (121 mm)	10
	8081212730	White			
	80812130100	Gray	11 3/4" (300 mm)	4 3/4" (121 mm)	
	8081213030	White			
	80812135100	Gray	13 3/4" (350 mm)	4 3/4" (121 mm)	
	8081213530	White			
	80812140100	Gray	15 3/4" (400 mm)	4 3/4" (121 mm)	
	8081214030	White			
	80812145100	Gray	17 3/4" (450 mm)	4 3/4" (121 mm)	
	8081214530	White			
	80812150100	Gray	19 5/8" (500 mm)	4 3/4" (121 mm)	
	8081215030	White			
	80812155100	Gray	21 5/8" (550 mm)	4 3/4" (121 mm)	
	8081215530	White			
80812160100	Gray	23 5/8" (600 mm)	4 3/4" (121 mm)		
8081216030	White				
C	80818527100	Gray	10 5/8" (270 mm)	7 1/4" (185 mm)	5
	8081852730	White			
	80818530100	Gray	11 3/4" (300 mm)	7 1/4" (185 mm)	
	8081853030	White			
	80818535100	Gray	13 3/4" (350 mm)	7 1/4" (185 mm)	
	8081853530	White			
	80818540100	Gray	15 3/4" (400 mm)	7 1/4" (185 mm)	
	8081854030	White			
	80818545100	Gray	17 3/4" (450 mm)	7 1/4" (185 mm)	
	8081854530	White			
	80818550100	Gray	19 5/8" (500 mm)	7 1/4" (185 mm)	
	8081855030	White			
	80818555100	Gray	21 5/8" (550 mm)	7 1/4" (185 mm)	
	8081855530	White			
80818560100	Gray	23 5/8" (600 mm)	7 1/4" (185 mm)		
8081856030	White				



Required product(s):

PRODUCT	DESCRIPTION
828XXX	Series 828 Full Extension Synchronized Concealed Undermount Slide with Soft-Close

- 1 SCREWS AND FASTENERS
- 2 FURNITURE EQUIPMENT
- 3 HINGES
- 4 SLIDES
- 5 CASTERS AND LEGS
- 6 KITCHEN SOLUTIONS
- 7 CLOSET SOLUTIONS
- 8 LIGHTING SOLUTIONS
- 9 SINKS AND FAUCETS
- 10 OFFICE
- 11 SLIDING DOORS
- 12 GLASS HARDWARE
- 13 PANELS AND SURFACES
- 14 EDGE-BANDING
- 15 CABINET DOORS AND DRAWERS
- 16 CORBELS AND FLOOR REGISTERS
- 17 GLUES, SILICONES, CAULK AND INSULATING
- 18 TOOLS AND SECURITY
- 19 FINISHING PRODUCTS AND SHOP SUPPLIES
- 20 COMMERCIAL DISPLAY HARDWARE
- 21 MOLDING, RAILING AND BATHROOM HARDWARE

CAPS FOR OPTIMIZ-R DRAWER SERIES

For 808 series.

Sold by unit

PRODUCT	FINISH	DESCRIPTION	QTY/BOX
80802100	Gray	With Richelieu logo	
8082030	White		
80801100	Gray	Without logo	
8080130	White		



FRONT LOCKING DEVICES FOR NARROW DRAWER FOR RICHELIEU 828 SLIDE

- Front locking device compatible with Richelieu 828 slides
- This device allows you to build a narrower drawer
- Perfectly suited for vanity drawers in the bathroom

Sold by unit

PRODUCT	DESCRIPTION	QTY/BOX
828NR02	Right	
828NR03	Left	




FRONT BRACKETS FOR STANDARD 808 SERIES DRAWER

808 drawers series come standard with doweled brackets. These screw-on bracket versions are also available.

Sold by unit

REF.	PRODUCT	MOUNTING	DRAWER HEIGHT	QTY/BOX
A	8088918912G	Screw-on	3 1/2" (89 mm)	600
B	80812112G		4 3/4" (121 mm)	400
C	80818512G		7 1/4" (185 mm)	200



BOTTOM FIXING FOR 808 DRAWER FRONT

Sold by unit

PRODUCT	QTY/BOX
808JG160	400



BOTTOM SUPPORT FOR 808 DRAWER BACK

Sold by box of 20

PRODUCT	QTY/BOX
808DBHDJ	400



FRONT BRACKETS FOR OPTIMIZ-R ROLL-OUT DRAWER

Sold by pair

PRODUCT	FINISH	HEIGHT	QTY/BOX
808891100	Anthracite	3-1/2" (89 mm)	
80889130	White Finish		
8081211100	Anthracite	4-49/64" (121 mm)	
808121130	White Finish		
8081851100	Anthracite	7-9/32" (185 mm)	
808185130	White Finish		



RECTANGULAR FRONT RAILS FOR 808 SERIES INNER DRAWER

PRODUCT	FINISH	LENGTH	QTY/BOX
808800100	Gray	800 mm	50
80880030	White		
8081200100	Gray	1200 mm	
808120030	White		



ADDITIONAL BRACKET FOR OPTIMIZ-R INNER DRAWER

PRODUCT	QTY/BOX
808DB2G	




T-DRAWER FRONT ADJUSTER

T-plate with pre-mounted 2 plastic dowels and 2 euro flat screws and a 8-32 riveted nut.

Sold by unit

PRODUCT	QTY/BOX
42196452G	200



RECTANGULAR FRONT RAIL FOR 908 INNER DRAWER SYSTEM

Sold by unit

PRODUCT	FINISH	LENGTH	QTY/BOX
908RT1100106	Gray	43 5/16" (1100 mm)	50
908RT110030	White		



- 1** SCREWS AND FASTENERS
- 2** FURNITURE EQUIPMENT
- 3** HINGES
- 4** SLIDES
- 5** CASTERS AND LEGS
- 6** KITCHEN SOLUTIONS
- 7** CLOSET SOLUTIONS
- 8** LIGHTING SOLUTIONS
- 9** SINKS AND FAUCETS
- 10** OFFICE
- 11** SLIDING DOORS
- 12** GLASS HARDWARE
- 13** PANELS AND SURFACES
- 14** EDGE-BANDING
- 15** CABINET DOORS AND DRAWERS
- 16** CORBELS AND FLOOR REGISTERS
- 17** GLUES, SILICONES, CAULK AND INSULATING
- 18** TOOLS AND SECURITY
- 19** FINISHING PRODUCTS AND SHOP SUPPLIES
- 20** COMMERCIAL DISPLAY HARDWARE
- 21** MOLDING, RAILING AND BATHROOM HARDWARE

UPPER RECTANGULAR SIDE TUBE FOR 908 DRAWER SYSTEM

To be used for creating a 908 inner drawer.

Sold by unit



PRODUCT	FINISH	LENGTH	QTY/BOX
908T270106	Gray	10 5/8" (270 mm)	50
908T27030	White		
908T300106	Gray	11 13/16" (300 mm)	50
908T30030	White		
908T350106	Gray	13 3/4" (350 mm)	50
908T35030	White		
908T400106	Gray	15 3/4" (400 mm)	50
908T40030	White		
908T450106	Gray	17 3/4" (450 mm)	50
908T45030	White		
908T500106	Gray	19 5/8" (500 mm)	50
908T50030	White		
908T550106	Gray	21 5/8" (550 mm)	50
908T55030	White		

MIDDLE RECTANGULAR LATERAL TUBE FOR 908 DRAWER SYSTEM

To be used for creating a 908 inner drawer.




PRODUCT	FINISH	LENGTH	QTY/BOX
908M270106	Anthracite	10 5/8" (270 mm)	50
908M300106		11 3/4" (300 mm)	
908M350106		13 3/4" (350 mm)	
908M400106		15 3/4" (400 mm)	
908M450106		17 3/4" (450 mm)	
908M500106		19 5/8" (500 mm)	
908M550106		21 5/8" (550 mm)	
908M27030	White	10 5/8" (270 mm)	
908M30030		11 3/4" (300 mm)	
908M35030		13 3/4" (350 mm)	
908M40030		15 3/4" (400 mm)	
908M45030		17 3/4" (450 mm)	
908M50030		19 5/8" (500 mm)	
908M55030		21 5/8" (550 mm)	

DRAWER SLIDE SPACER


Spacer with holes that are 1 1/4" (32 mm) apart.

PRODUCT	FINISH	WIDTH	HEIGHT	DEPTH	QTY/BOX
362630	White	25/32" (20 mm)	1 7/8" (48 mm)	5/8" (16 mm)	1000



LATERAL SPACERS

PRODUCT	FINISH	WIDTH	HEIGHT	DEPTH	QTY/BOX
601916030	White	1 27/32" (47 mm)	5/8" (16 mm)	13/16" (21 mm)	1000
601963530			1/4" (6 mm)		



DRAWER SLIDE SPACER

Spacer with 1/4" (6 mm) hole and 3/16" (5 mm) Peg.

PRODUCT	FINISH	WIDTH	HEIGHT	DEPTH	QTY/BOX
362730	White	7/8" (22 mm)	2 3/16" (55 mm)	1" (25 mm)	1000

